


Product Data Sheet

MaxiTherm[®] 30-202

Colour – Coating	Grey
Colour – Liner	Orange
Design	3/4 coated knitwrist
Coating	NRL (Natural Rubber Latex)
Coating texture	Solid
Liner	Acrylic, Polyester
Palm thickness	2.50 mm



Dimensions

Size Range	Size 6 (XS)	Size 7 (S)	Size 8 (M)	Size 9 (L)	Size 10 (XL)	Size 11 (XXL)
Total glove length (+/-10 mm)	220	235	245	260	260	270
Wrist length (mm)	70	85	85	90	95	100
Wrist width (mm)	70	75	80	85	90	90
Palm width (+/-3 mm)	100	106	115	120	125	127
Over lock colour	Blue	Red	Orange	White	Yellow	Black



Product Data Sheet

MaxiTherm[®] 30-202

EN test Results

Test	Notified Body	Result/Pass
EN 420: 2003 + A1: 2009	SATRA	Yes
EN 388: 2003	SATRA	1241
EN 374-3: 2003		-
EN 374-2: 2003		-
EN 407: 2004	SATRA	X2XXXX
EN 511: 2006	SATRA	X1X
EN 1149: 2006		-
EN 10819		-
1935/2004/EC (food contact within EU)		-
FDA section 177.2600 (food contact within US)		-
EN 14362-2: 2003	SATRA	Passed

If a glove due to its design and construction falls outside the scope of EN 420 in terms of hand size dimensions then this glove is classified as "fit for special purpose".

Typical Performance Values

EN 420 Dexterity	Level 5
EN 420 pH value	7.00
EN 388:2003 A. Abrasion Resistance	> 100 Cycles
EN 388:2003 B. Cut Resistance	> 2.5 index
EN 388:2003 C. Tear Resistance	> 75 newtons
EN 388:2003 D. Puncture Resistance	> 20 newtons
EN 14362-2:2003 Azo Colourants	No amines detected (<30'mg/kg)



Product Data Sheet

MaxiTherm[®] 30-202

HandCare[®]

Skin Health Alliance Dermatologically Accredited	Yes
REACH compliant	Yes
Oeko-Tex[®] 100	Certified
Sanitized[®]	Yes



Special features

Silicone free	No
----------------------	----

Packaging

Pairs per poly bag	12
Carton count	72
Carton dimensions (mm)	500 x 295 x 270

Weight

Size Range	Size 6 (XS)	Size 7 (S)	Size 8 (M)	Size 9 (L)	Size 10 (XL)	Size 11 (XXL)
Glove weight / Pair (+/-6 gram)	96	110	116	148	160	170
Gross Weight (Kg)	8	8.3	9	9.6	10.2	10.8
Carton Weight (Kg)	1	1	1	1	1	1
Net Weight (Kg)	7	7.3	8	8.6	9.2	9.8



Product Data Sheet

MaxiTherm® 30-202

Issue date: 26.08.2014

