

# PRODUCT DATA SHEET

## MaxiCut® Ultra DT™ 44-3455

<b>Colour – Coating</b>	Black
<b>Colour – Liner</b>	Blue
<b>Design</b>	3/4 coated knitwrist
<b>Coating</b>	NBR (Nitrile Butadiene Rubber)
<b>Coating texture</b>	Micro-Foam for Controlled Grip
<b>Liner</b>	UHMWPE-Glass-Nylon, Spandex
<b>Palm thickness (mm)</b>	1.10



### Dimensions

Size Range	Size 6 (XS)	Size 7 (S)	Size 8 (M)	Size 9 (L)	Size 10 (XL)	Size 11 (XXL)	Size 12 (XXXL)
<b>Total glove length (+/- 10 mm)</b>	210	225	230	235	245	250	255
<b>Wrist length (mm)</b>	60	65	70	75	80	80	85
<b>Wrist width (mm)</b>	68	73	75	78	80	80	80
<b>Palm width (mm)</b>	90	92	98	102	107	110	113
<b>Over lock colour</b>	Blue	Red	Orange	White	Yellow	Black	Green

### EN Test Results

Test	Notified body	Result/Pass
<b>EN ISO 21420: 2020</b>	TÜV Rheinland	Yes
<b>EN 388:2016 + A1:2018</b>	TÜV Rheinland	4442C



# PRODUCT DATA SHEET

## MaxiCut® Ultra DT™ 44-3455

### Typical Performance Values

EN ISO 21420: General requirements Dexterity	Level 5
EN 388:2016 + A1:2018 A. Abrasion Resistance	> 8000 Cycles
EN 388:2016 + A1:2018 B. Cut Resistance	> 10.0 index
EN 388:2016 + A1:2018 C. Tear Resistance	> 75 newtons
EN 388:2016 + A1:2018 D. Puncture Resistance	> 60 newtons
EN 388:2016 + A1:2018 E. Cut Resistance ISO	≥ 10 Newton

### HandCare®

Skin Health Alliance Dermatologically Accredited	Yes
REACH compliant	Yes
Standard 100 by OEKO-TEX® (08.BH.57867 Hohenstein HTTI)	Certified
Washable	40°C/104°F
Sanitized®	Yes



### Special features

FDA compliant	Yes
Touchscreen compatible	Yes



# PRODUCT DATA SHEET

## MaxiCut® Ultra DT™ 44-3455

### Packaging

Pairs per poly bag	12
Poly bags per carton	6
Carton count	72
Carton dimensions (mm)	500 x 295 x 200

### Weight

Size Range	Size 6 (XS)	Size 7 (S)	Size 8 (M)	Size 9 (L)	Size 10 (XL)	Size 11 (XXL)	Size 12 (XXXL)
Glove weight / pair (+/- 6 gram)	48	52	52	62	68	72	76
Gross weight (kg)	4.65	5	5.35	5.6	6	6.3	6
Carton weight (kg)	1	1	1	1	1	1	1
Net weight (kg)	3.7	4.0	4.4	4.6	5.0	5.3	5.0

Issue date: 24/03/2023

